

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Original) A composition comprising:
  - (i) from about 10 to about 90 parts by weight of at least one substituted monocyclic organic compound-containing material selected from the group consisting of:
    - 1-cyclohexylethan-1-yl butyrate;
    - 1-cyclohexylethan-1-yl acetate;
    - 1-cyclohexylethan-1-ol;
    - 1-(4'-methylethyl)cyclohexylethan-1-yl propionate; and
    - 2'-hydroxy-1'-ethyl(2-phenoxy)acetate; and
  - (ii) from about 90 to about 10 parts by weight of a zinc ricinoleate-containing composition selected from the group consisting of zinc ricinoleate and solutions of zinc ricinoleate containing greater than 30% by weight of zinc ricinoleate.
2. (Previously presented) The composition of claim 1, wherein the zinc ricinoleate-containing composition is a mixture of about 50% by weight of zinc ricinoleate and about 50% by weight of at least one 1-hydroxy-2-ethoxethyl ether of a C<sub>12</sub>-C<sub>14</sub> alcohol.
3. (Previously presented) The composition of claim 1, wherein the substituted monocyclic organic compound-containing material is 1-(4'-methylethyl)cyclohexylethan-1-yl propionate.
4. (Previously presented) The composition of claim 2, wherein the substituted monocyclic organic compound-containing material is 1-(4'-methylethyl)cyclohexylethan-1-yl propionate.

5. (Previously presented) The composition of claim 1, wherein the substituted monocyclic organic compound-containing material is a mixture of:  
1-cyclohexylethan-1-yl butyrate;  
1-cyclohexylethan-1-yl acetate; and  
1-(4'-methylethyl)cyclohexylethan-1-yl propionate.
6. (Previously presented) The composition of claim 5,  
wherein the zinc ricinoleate-containing composition is a mixture of about 50% by weight of zinc ricinoleate and about 50% by weight of at least one 1-hydroxy-2-ethoxethyl ether of a C<sub>12</sub>-C<sub>14</sub> alcohol, and  
wherein the weight ratio of zinc ricinoleate-containing composition:1-cyclohexylethan-1-yl butyrate:1-cyclohexylethan-1-yl acetate:1-(4'-methylethyl)cyclohexylethan-1-yl propionate is about 2:1:1:1.
7. (Previously presented) The composition of claim 1, wherein the substituted monocyclic organic compound-containing material is a mixture of:  
1-cyclohexylethan-1-yl acetate; and  
1-(4'-methylethyl)cyclohexylethan-1-yl propionate.
8. (Previously presented) The composition of claim 7,  
wherein the zinc ricinoleate-containing composition is a mixture of about 50% by weight of zinc ricinoleate and about 50% by weight of at least one 1-hydroxy-2-ethoxethyl ether of a C<sub>12</sub>-C<sub>14</sub> alcohol, and  
wherein the weight ratio of zinc ricinoleate-containing composition:1-cyclohexylethan-1-yl acetate:1-(4'-methylethyl)cyclohexylethan-1-yl propionate is about 3:1:1.
9. (Previously presented) A process for reducing or eliminating a malodor emanating from a solid or liquid malodorous source comprising the step of providing a synergistically-effective malodor-counteracting quantity and concentration of the composition of claim 1.

10. (Canceled)

11. (Previously presented) A process for preventing a malodor from emanating from a solid malodorous source having a defined laminar surface comprising the step of coating onto a finite portion of said laminar surface a synergistically-effective malodor-counteracting quantity and concentration of the composition of claim 1.

12. (Previously presented) A process for preventing a malodor from emanating from a solid or liquid malodorous source comprising the step of admixing with said source a synergistically-effective malodor-counteracting quantity and concentration of the composition of claim 1.

13. (Previously presented) The process of claim 9, wherein the solid or liquid malodorous source evolving the malodor is selected from the group consisting of: a herbicide, an antiviral composition, a fungicide, a bactericide, a parasiticide, an insecticide, a depilatory preparation, a bleach composition, a hard surface-cleaning preparation, a skin cleansing composition, an anti-microbial nail preparation; a hair setting composition, a hair conditioning composition, a trichological lotion; a skin softening composition, a skin texture enhancement composition, a skin lightening composition, a detergent composition, a soap composition, a sunscreen composition, a fabric stain removal composition, a fabric softener composition, a fabric conditioning composition, a fabric anti-wrinkle composition, a steam iron aroma composition, a candle composition, a plant growth regulating composition, a plant growth stimulating composition, a fertilizer composition, an insect attractant composition, an insect repelling composition, a drain cleaning composition, a molluskicide composition; an anti-perspirant composition; a body deodorant composition, a body deodorant/anti-perspirant device, a waste-disposal container, an air freshener device and an air freshener composition.

14. (Previously presented) The process of claim 13, wherein the malodor is caused by a malodor-causing quantity and concentration of at least one compound selected from the group consisting of aliphatic halohydrins, aliphatic amines, aliphatic N-oxides, dialkylamines, cycloaliphatic amines, cycloaliphatic N-oxides, cyclo-olefinic amines, cyclo-olefinic N-oxides, cycloaromatic amines, cycloaromatic N-oxides, hydroxyalkylamines, imine compounds, amide compounds, amino acids, polypeptides, modified antimicrobial proteins, diurecides, nitriles, aliphatic mercaptans, cycloaliphatic mercaptans, mercaptoalkanoic acids, mercaptoalkanoic acid esters, aliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cycloaliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cyclo-olefinic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cycloaromatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, isothiocyanates, thiocyanates, dithiocyanates, isothiazolones, isothiazolinones, thiodiazinethiones, halosulfamates, aryl sulfonamides, lower aliphatic carboxylic acids, phenols, phosphines, aliphatic phosphites and phosphonates, cycloaliphatic phosphites and phosphonates, arsines, lower alcohols, lower ketones, hops, hops acids, aryl pyrazoles, oxazolines, isocyanurates, biguanides, extracts of krameria, hydantoin, pyrrolidones, pyrrolidone carboxylic acids, pyrrolidone carboxylic acid esters, nitrophenols, N-substituted aspartic acids and pyrethroids.

15. (Previously presented) A method for counteracting a malodor in a solid or liquid fragrance-containing soap or detergent caused by a malodor-causing quantity and concentration of at least one compound selected from the group consisting of aliphatic halohydrins, aliphatic amines, aliphatic N-oxides, dialkylamines, cycloaliphatic amines, cycloaliphatic N-oxides, cyclo-olefinic amines, cyclo-olefinic N-oxides, cycloaromatic amines, cycloaromatic N-oxides, hydroxyalkylamines, imine compounds, amide compounds, amino acids, polypeptides, modified antimicrobial proteins, diurecides, nitriles, aliphatic mercaptans, cycloaliphatic mercaptans, mercaptoalkanoic acids, mercaptoalkanoic acid esters, aliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cycloaliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cyclo-olefinic monosulfides, disulfides, trisulfides, sulfur oxides,

sulfones and sultones, cycloaromatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, isothiocyanates, thiocyanates, dithiocyanates, isothiazolones, isothiazolinones, thiodiazinethiones, halosulfamates, aryl sulfonamides, lower aliphatic carboxylic acids, phenols, phosphines, aliphatic phosphites and phosphonates, cycloaliphatic phosphites and phosphonates, arsines, lower alcohols, lower ketones, hops, hops acids, aryl pyrazoles, oxazolines, isocyanurates, biguanides, extracts of krameria, hydantoin, pyrrolidones, pyrrolidone carboxylic acids, pyrrolidone carboxylic acid esters, nitrophenols, N-substituted aspartic acids and pyrethroids comprising the step of introducing into the solid or liquid soap or detergent an effective malodor counteracting quantity and concentration of the composition of claim 1.

16. (Previously presented) A method of counteracting a malodor caused by a malodor-causing quantity and concentration of at least one compound selected from the group consisting of aliphatic halohydrins, aliphatic amines, aliphatic N-oxides, dialkylamines, cycloaliphatic amines, cycloaliphatic N-oxides, cyclo-olefinic amines, cyclo-olefinic N-oxides, cycloaromatic amines, cycloaromatic N-oxides, hydroxy-alkylamines, imine compounds, amide compounds, amino acids, polypeptides, modified antimicrobial proteins, diureides, nitriles, aliphatic mercaptans, cycloaliphatic mercaptans, mercaptoalkanoic acids, mercaptoalkanoic acid esters, aliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cycloaliphatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cyclo-olefinic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, cycloaromatic monosulfides, disulfides, trisulfides, sulfur oxides, sulfones and sultones, isothiocyanates, thiocyanates, dithiocyanates, isothiazolones, isothiazolinones, thiodiazinethiones, halosulfamates, aryl sulfonamides, lower aliphatic carboxylic acids, phenols, phosphines, aliphatic phosphites and phosphonates, cycloaliphatic phosphites and phosphonates, arsines, lower alcohols, lower ketones, hops, hops acids, aryl pyrazoles, oxazolines, isocyanurates, biguanides, extracts of krameria, hydantoin, pyrrolidones, pyrrolidone carboxylic acids, pyrrolidone carboxylic acid esters, nitrophenols, N-substituted aspartic acids and pyrethroids comprising the step of introducing an effective malodor counteracting quantity and concentration of the composition of claim 1.

17. (Canceled)

18. (Previously presented) A malodor-suppressing stick article having a maintained malodor-suppressing composition and dimensional integrity comprising a stiff, monophasic composition comprising:

(a) a structural support polymer selected from the group consisting of an ester-terminated polyamide and a tertiary amide-terminated polyamide; and

(b) the composition of claim 1 with the provisos that the weight ratio range of the structural support polymer: the composition of claim 1 is from about 90:10 to about 55:45 and the weight percent of zinc ricinoleate in the stick article is from about 0.5% to about 10% by weight of the stick article.

19. (Previously presented) A single liquid phase composition consisting essentially of from about 10 to about 30% by weight of the composition of claim 1 in a solvent selected from the group consisting of propylene glycol and dipropylene glycol.

20. (Previously presented) A soap or detergent composition comprising

(i) a base selected from the group consisting of a soap base and a detergent base; and

(ii) the composition of claim 1,  
wherein the concentration of the composition of claim 1 is from 75 ppm to 300 ppm.

21. (Previously presented) The malodor-suppressing stick article of claim 18, wherein the structural support polymer is an ester-terminated polyamide having a weight-average molecular weight of about 6000 and a softening point in the range of from 88°C to 94°C prepared by reacting "x" equivalents of C<sub>36</sub> dicarboxylic acid, "y" equivalents of ethylenediamine and "z" equivalents of an alcohol selected from the group consisting of

cetyl alcohol and stearyl alcohol, wherein  $0.9 \leq \frac{x}{y+z} \leq 1.1$  and  $0.1 \leq \frac{z}{y+z} \leq 0.7$ .